

```

<?xml version="1.0" encoding="utf-16"?>
<xs:schema xmlns="urn:IOPD_V1_0.xsd" attributeFormDefault="unqualified"
elementFormDefault="qualified" targetNamespace="urn:IOPD_V1_0.xsd" id="IOPD_V1_0"
xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:element name="Izvjestaj">
    <xs:annotation>
      <xs:documentation>Izveštaj o obra unanim porezima i doprinosima</xs:documentation>
    </xs:annotation>
    <xs:complexType>
      <xs:sequence>
        <xs:element minOccurs="1" name="Zaglavlje">
          <xs:annotation>
            <xs:documentation>Zaglavlje dokumenta</xs:documentation>
          </xs:annotation>
          <xs:complexType>
            <xs:sequence>
              <xs:element minOccurs="1" name="ObracunskiPeriodMjesec">
                <xs:annotation>
                  <xs:documentation>Mjesec obra unskog perioda</xs:documentation>
                </xs:annotation>
                <xs:simpleType>
                  <xs:restriction base="xs:string">
                    <xs:maxLength value="6"/>
                  </xs:restriction>
                </xs:simpleType>
              </xs:element>
              <xs:element minOccurs="1" name="ObracunskiPeriodGodina">
                <xs:annotation>
                  <xs:documentation>Godina obra unskog perioda</xs:documentation>
                </xs:annotation>
                <xs:simpleType>
                  <xs:restriction base="xs:string">
                    <xs:maxLength value="4"/>
                  </xs:restriction>
                </xs:simpleType>
              </xs:element>
              <xs:element minOccurs="0" name="Operacija" type="type_Operacija">
                <xs:annotation>
                  <xs:documentation>Vrsta izvještaja</xs:documentation>
                </xs:annotation>
              </xs:element>
              <xs:element minOccurs="1" name="Podnosilac">
                <xs:annotation>
                  <xs:documentation>Podnosilac izvještaja</xs:documentation>
                </xs:annotation>
                <xs:complexType>
                  <xs:sequence>
                    <xs:element minOccurs="1" name="Podnosilac-PIB" type="type_PIB">
                      <xs:annotation>
                        <xs:documentation>PIB podnosioca</xs:documentation>
                      </xs:annotation>
                    </xs:element>
                  </xs:sequence>
                </xs:complexType>
              </xs:element>
            </xs:sequence>
          </xs:complexType>
        </xs:element>
      </xs:sequence>
    </xs:complexType>
  </xs:element>

```

```

        </xs:annotation>
        </xs:element>
        <xs:element minOccurs="0" name="Podnosilac-Naziv" type="xs:string"/>
        <xs:element minOccurs="0" name="DatumIzjavePodOdgovornoscu"
type="xs:date"/>
        </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element minOccurs="1" name="Sluzbenik">
        <xs:annotation>
            <xs:documentation>Službenik koji unosi izvještaj</xs:documentation>
        </xs:annotation>
        <xs:complexType>
            <xs:sequence>
                <xs:element minOccurs="1" name="Sluzbenik-DatumPrijema" type="xs:date">
                    <xs:annotation>
                        <xs:documentation>Datum prijema (podnošenja)
izvještaja</xs:documentation>
                    </xs:annotation>
                </xs:element>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    </xs:sequence>
</xs:complexType>
</xs:element>
<xs:element minOccurs="1" name="Poslodavac">
    <xs:annotation>
        <xs:documentation>Podaci o poslodavcu</xs:documentation>
    </xs:annotation>
    <xs:complexType>
        <xs:sequence>
            <xs:element minOccurs="1" name="Poslodavac-PIB" type="type_PIB"/>
            <xs:element minOccurs="0" name="Poslodavac-Naziv" type="xs:string"/>
            <xs:element minOccurs="0" name="Poslodavac-Telefon" type="xs:string"/>
            <xs:element minOccurs="0" name="Poslodavac-Email" type="xs:string"/>
            <xs:element name="Poslodavac-PunNaziv" type="xs:string" minOccurs="0"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element minOccurs="1" name="Ukupno">
    <xs:annotation>
        <xs:documentation>Sume pojedina nih iznosa</xs:documentation>
    </xs:annotation>
    <xs:complexType>
        <xs:sequence>
            <xs:element minOccurs="1" name="Ukupno-BrojLica" nillable="true"
type="xs:unsignedInt">
                <xs:annotation>
                    <xs:documentation>Broj lica za koje se podnosi izvještaj</xs:documentation>
                </xs:annotation>
            </xs:element>
        </xs:sequence>
    </xs:complexType>
</xs:element>

```

```

    </xs:annotation>
  </xs:element>
  <xs:element minOccurs="1" name="Ukupno-BrutoIznos" nillable="true"
type="xs:decimal">
    <xs:annotation>
      <xs:documentation>Suma svih pojedina nih bruto iznosa</xs:documentation>
    </xs:annotation>
  </xs:element>
  <xs:element minOccurs="1" name="TeretOsiguraonika">
    <xs:annotation>
      <xs:documentation>Sume pojedina nih iznosa koji su na teret
osiguranika</xs:documentation>
    </xs:annotation>
    <xs:complexType>
      <xs:sequence>
        <xs:element minOccurs="1" name="TeretOsiguraonika-Porez" nillable="true"
type="xs:decimal">
          <xs:annotation>
            <xs:documentation>Suma pojedina nih iznosa poreza</xs:documentation>
          </xs:annotation>
        </xs:element>
        <xs:element minOccurs="1" name="TeretOsiguraonika-PIO" nillable="true"
type="xs:decimal">
          <xs:annotation>
            <xs:documentation>Suma pojedina nih iznosa doprinosa za
PIO</xs:documentation>
          </xs:annotation>
        </xs:element>
        <xs:element minOccurs="1" name="TeretOsiguraonika-RFZO" nillable="true"
type="xs:decimal">
          <xs:annotation>
            <xs:documentation>Suma pojedina nih iznosa doprinosa za
RFZO</xs:documentation>
          </xs:annotation>
        </xs:element>
        <xs:element minOccurs="1" name="TeretOsiguraonika-ZZZ" nillable="true"
type="xs:decimal">
          <xs:annotation>
            <xs:documentation>Suma pojedina nih iznosa doprinosa za
ZZZ</xs:documentation>
          </xs:annotation>
        </xs:element>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
  <xs:element minOccurs="1" name="TeretIsplatioca">
    <xs:annotation>
      <xs:documentation>Sume pojedina nih iznosa koji su na teret
isplatioca</xs:documentation>
    </xs:annotation>

```

```

    <xs:complexType>
      <xs:sequence>
        <xs:element minOccurs="1" default="0" name="TeretIsplatioca-PIO"
nillable="true" type="xs:decimal">
          <xs:annotation>
            <xs:documentation>Suma pojedina nih iznosa doprinosa za
PIO</xs:documentation>
          </xs:annotation>
        </xs:element>
        <xs:element minOccurs="1" default="0" name="TeretIsplatioca-RFZO"
nillable="true" type="xs:decimal">
          <xs:annotation>
            <xs:documentation>Suma pojedina nih iznosa doprinosa za
RFZO</xs:documentation>
          </xs:annotation>
        </xs:element>
        <xs:element minOccurs="1" default="0" name="TeretIsplatioca-ZZZ"
nillable="true" type="xs:decimal">
          <xs:annotation>
            <xs:documentation>Suma pojedina nih iznosa doprinosa za
ZZZ</xs:documentation>
          </xs:annotation>
        </xs:element>
        <xs:element minOccurs="1" default="0" name="TeretIsplatioca-FondRada"
nillable="true" type="xs:decimal">
          <xs:annotation>
            <xs:documentation>Suma pojedina nih iznosa doprinosa za Fond
rada</xs:documentation>
          </xs:annotation>
        </xs:element>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
  <xs:sequence>
    <xs:complexType>
      <xs:sequence>
        <xs:element minOccurs="1" name="PojedinačniObracun">
          <xs:annotation>
            <xs:documentation>Pojedina ni obra un poreza i doprinosa</xs:documentation>
          </xs:annotation>
        </xs:complexType>
        <xs:sequence>
          <xs:element minOccurs="1" maxOccurs="unbounded" name="Unos"
type="UnosGenericType"/>
        </xs:sequence>
      </xs:complexType>
    </xs:element>
    <xs:element name="DoprinosZbogNezaposljavanjaInvalida" minOccurs="1">
      <xs:annotation>

```

```

    <xs:documentation>Obra un doprinosa zbog nezapošljavanje
invalida</xs:documentation>
  </xs:annotation>
  <xs:complexType>
    <xs:sequence>
      <xs:element name="UkupanBrojZaposlenih" type="xs:int" minOccurs="1">
        <xs:annotation>
          <xs:documentation>Ukupan broj zaposlenih lica</xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="BrojZaposlenihInvalida" type="xs:int" minOccurs="1">
        <xs:annotation>
          <xs:documentation>Broj zaposlenih lica sa invaliditetom</xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="Osnovica" type="xs:decimal" minOccurs="1">
        <xs:annotation>
          <xs:documentation>Osnovica na koju se obra unava
doprinosa</xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="Stopa" type="xs:decimal" minOccurs="1">
        <xs:annotation>
          <xs:documentation>Iznos stope doprinosa</xs:documentation>
        </xs:annotation>
      </xs:element>
      <xs:element name="Iznos" type="xs:decimal" minOccurs="1">
        <xs:annotation>
          <xs:documentation>Iznos doprinosa</xs:documentation>
        </xs:annotation>
      </xs:element>
    </xs:sequence>
  </xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:simpleType name="type_PIB">
  <xs:annotation>
    <xs:documentation>Tip podatka PIB - Poreski Identifikacioni Broj</xs:documentation>
  </xs:annotation>
  <xs:restriction base="xs:string">
    <xs:pattern value="[0-9]{13}[0-9]{8}"/>
  </xs:restriction>
</xs:simpleType>
<xs:complexType name="type_Operacija">
  <xs:annotation>
    <xs:documentation>Vrsta operacije</xs:documentation>
  </xs:annotation>
  <xs:sequence>

```

```

<xs:element minOccurs="1" name="Naziv">
  <xs:annotation>
    <xs:documentation>Naziv operacije</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:enumeration value="osnovna"/>
      <xs:enumeration value="izmjenjena"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
</xs:sequence>
</xs:complexType>
<xs:complexType name="UnosGenericType">
  <xs:sequence>
    <xs:element minOccurs="1" name="Unos-PIB" type="type_PIB">
      <xs:annotation>
        <xs:documentation>PIB lica</xs:documentation>
      </xs:annotation>
    </xs:element>
    <xs:element minOccurs="1" name="Unos-PrezimeIme" type="xs:string">
      <xs:annotation>
        <xs:documentation>Prezime i ime lica</xs:documentation>
      </xs:annotation>
    </xs:element>
    <xs:element minOccurs="1" name="Unos-OsnovID" nillable="true" type="xs:int">
      <xs:annotation>
        <xs:documentation>Šifra osnova za obra un u šifarniku</xs:documentation>
      </xs:annotation>
    </xs:element>
    <xs:element minOccurs="1" name="Index" nillable="true" type="xs:integer">
      <xs:annotation>
        <xs:documentation>Redni broj reda</xs:documentation>
      </xs:annotation>
    </xs:element>
    <xs:element minOccurs="1" name="Unos-Osnov" type="xs:string">
      <xs:annotation>
        <xs:documentation>Osnov za obra un</xs:documentation>
      </xs:annotation>
    </xs:element>
    <xs:element minOccurs="1" name="Unos-PeriodOd" nillable="true" type="xs:date">
      <xs:annotation>
        <xs:documentation>Po etak perioda obra una</xs:documentation>
      </xs:annotation>
    </xs:element>
    <xs:element minOccurs="1" name="Unos-PeriodDo" nillable="true" type="xs:date">
      <xs:annotation>
        <xs:documentation>Kraj period obra una</xs:documentation>
      </xs:annotation>
    </xs:element>
  </xs:sequence>
</xs:complexType>

```

```
<xs:element minOccurs="1" name="Unos-BrutoOsnov" nillable="true"
type="xs:decimal">
  <xs:annotation>
    <xs:documentation>Bruto iznos osnovice za obra un za jednu vrstu
prihoda</xs:documentation>
  </xs:annotation>
</xs:element>
<xs:element minOccurs="1" name="Unos-TeretOsiguranikaPorez" nillable="true"
type="xs:decimal">
  <xs:annotation>
    <xs:documentation>Iznos obra unatog poreza na teret osiguranika</xs:documentation>
  </xs:annotation>
</xs:element>
<xs:element minOccurs="1" name="Unos-TeretOsiguranikaPIO" nillable="true"
type="xs:decimal">
  <xs:annotation>
    <xs:documentation>Iznos obra unanog doprinosa za PIO na teret
osiguranika</xs:documentation>
  </xs:annotation>
</xs:element>
<xs:element minOccurs="1" name="Unos-TeretOsiguranikaRFZO" nillable="true"
type="xs:decimal">
  <xs:annotation>
    <xs:documentation>Iznos obra unanog doprinosa za RFZO na teret
osiguranika</xs:documentation>
  </xs:annotation>
</xs:element>
<xs:element minOccurs="1" name="Unos-TeretOsiguranikaZZZ" nillable="true"
type="xs:decimal">
  <xs:annotation>
    <xs:documentation>Iznos obra unanog doprinosa za ZZZ na teret
osiguranika</xs:documentation>
  </xs:annotation>
</xs:element>
<xs:element minOccurs="1" name="Unos-TeretIsplatiocaPIO" nillable="true"
type="xs:decimal">
  <xs:annotation>
    <xs:documentation>Iznos obra unanog doprinosa za PIO na teret
isplatioca</xs:documentation>
  </xs:annotation>
</xs:element>
<xs:element minOccurs="1" name="Unos-TeretIsplatiocaRFZO" nillable="true"
type="xs:decimal">
  <xs:annotation>
    <xs:documentation>Iznos obra unanog doprinosa za RFZO na teret
isplatioca</xs:documentation>
  </xs:annotation>
</xs:element>
<xs:element minOccurs="1" name="Unos-TeretIsplatiocaZZZ" nillable="true"
type="xs:decimal">
```

```
<xs:annotation>
  <xs:documentation>Iznos obra unanog doprinosa za ZZZ na teret
isplatioca</xs:documentation>
</xs:annotation>
</xs:element>
<xs:element minOccurs="1" name="Unos-TeretIsplatiocaFondRada" nillable="true"
type="xs:decimal">
  <xs:annotation>
    <xs:documentation>Iznos obra unanog doprinosa za Fond rada na teret
isplatioca</xs:documentation>
  </xs:annotation>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:schema>
```